

## Magnets raw with hole NdFeB, disc form

### Item description/product images



### Description

**Material:**  
NdFeB N35 (neodymium).

**Version:**  
Electro zinc-plated.


**Note:**  
Unshielded system.

**Temperature range:**  
max. 80°C.

**Assembly:**  
The magnets can be mounted by press-fit, screwing-in or gluing.

**Drawing reference:**  
1) magnetic face

### Drawings



### Overview of items

#### Magnets raw with hole, NdFeB, disc form

Order No.	Form	D	D1	H	Tightening torque max. Nm	Magnetic force N
K1405.12	A	12 ±0,1	3,5 ±0,1	3 ±0,1	3	18
K1405.15	A	15 ±0,1	4,5 ±0,1	3,5 ±0,1	3	29
K1405.18	A	18 ±0,1	4,5 ±0,1	4 ±0,1	3	41
K1405.24	A	24 ±0,1	5,5 ±0,1	4 ±0,1	3	66
K1405.32	B	32 ±0,1	10,5 ±0,1	2 ±0,1	3	42
K1405.38	B	38 ±0,1	12 ±0,1	4 ±0,1	3	110
K1405.48	B	48 ±0,2	15 ±0,1	5 ±0,1	3	165
K1405.56	B	56 ±0,2	15 ±0,1	6 ±0,1	3	230